













AcuPoint Analysis EPILEPSY*



AcuPoint Analysis

EPILEPSY*

(DESCRIPTIONS)

Point Description

- C12** 4 cun above the navel, along the mid-line.
- G20** On the midpoint of the skull on a line connecting the tops of the ears.
- GB20** This point is right under and against the base of the skull, in the two small muscular grooves at the back of the neck, two to three inches apart depending on the size of the head.
- KOI** On the bottom of the foot, in the middle, just behind the ball (the most padded forward part).
- L104** On the back of the hand between the thumb and index finger metacarpal bones. Find the spot midway on the bone that connects the index finger to the wrist. Sometimes this point is easy to find by squeezing two fingers together to form a small mound and marking an imaginary point at the peak of that mound. Then probe inward toward the main body of the hand, right on the bone.
- Li11** On the extreme end of the outer crease of the elbow. Bend your arm tightly and place your Acu-Ki on the end of the crease. Keep your massager in place while opening the arm and stimulate the point on your relaxed arm downward toward your forearm.
- LVO3** Two cun above the separation between the biggest and second toes, on the top side of the foot.
- P06** The width of two thumbs (2 Gun) above the most prominent crease on the inner wrist, in line with the middle finger.
- ST36** The width of one hand (3 Gun) below the bottom of the kneecap, and the width of one thumb (1 Gun) toward the outside of the leg (direction of the small toe.) Found in the trough or valley where the two most prominent bones of the calf come together.
- UB61** 1.5 cun directly below the hollow behind the outer ankle crown. At the junction at the change in skin color.
- EAT03** OCCIPUT, ATLAS, OCCIPITAL LOBE
- EHXOI** Master Point 0, Point of Support, Solar Plexus, Umbilical Cord, Penis, or Clitoris, Sexual Desire, Bosch Point, Diaphragm, Hiccups. Located in a notch at the beginning of the Helix Root. This point brings the whole body toward a state of homeostatic balance
- EICO4** LUNG, HEART .C, BRONCHI, TUBERCULOSIS POINT
- EICO8** SPLEEN .G (LEFT EAR), MUSCLE RELAXATION POINT
- ELO2** Upper Jaw (Maxilla), Chinese Upper and Lower Palate, Chinese Tongue, French Parietal Lobe. Located on the 2nd zone of the Lobe.
- ETFO2** Master Point 1, (Shen Men), French Hip, Chinese Shen Men (Divine Gate), Pelvic Cavity, French Wonder Point. Located in the middle of the 2st zone of the Triangular Fossa. This master point alleviates pain, tension, anxiety, and depression.

