














# AcuPoint Analysis

## APPETITE LOSS\*

### Points



**AcuPoint Analysis**  
**APPETITE LOSS\***  
(DESCRIPTIONS)

Point	Description
<b>C12</b>	4 cun above the navel, along the mid-line.
<b>ST36</b>	The width of one hand (3 Cun) below the bottom of the kneecap, and the width of one thumb (1 Cun) toward the outside of the leg (direction of the small toe.) Found in the trough or valley where the two most prominent bones of the calf come together.
<b>K17</b>	2 thumbs width above the navel and level with the bottom of the ribcage, the width on one thumb to either side of the abdominal mid-line.
<b>K20</b>	The width of 5 thumbs above the navel and one thumb to either side of the abdominal mid-line.
<b>K22</b>	In the 5th intercostal space 2 thumb widths from the chest midline.
<b>LI02</b>	On the inside of the index finger, in front of the joint where the finger joins the hand.
<b>SP04</b>	On the inner edge of the foot two cun from the large bulging joint where the big toe joins the foot.
<b>SP05</b>	1 cun in front of the inner ankle bone crown.
<b>SP06</b>	The width of one hand (3 thumbs) above the crown of the inner ankle, just behind the shin bone on the front of the leg.
<b>SP07</b>	The width of two hands (6 thumbs) above the crown of the inner ankle, just behind the shin bone on the front of the leg.
<b>SP08</b>	The width of one hand and two thumbs below the bottom of the kneecap, just behind the shin bone on the inner leg.
<b>ST22</b>	3 cun above the navel, 2 cun lateral from the midline.
<b>UB64</b>	The width of three thumbs away from the crown of the outer ankle, in a line drawn between the crown of the outer ankle and the nail of the smallest toe.