


# AcuPoint Analysis SCOLIOSIS\*


## Points




GB30




GB34



Li 4




Li 11



15


Li



Sp 6




ST36




G 2




G 4




Si 3




Si 12




UB 11



UB 25



UB 47



UB 64

**CORRES-  
PONDING  
BODY  
PART**

# AcuPoint Analysis

## SCOLIOSIS\*

(DESCRIPTIONS)

Point	Description
<b>GB30</b>	Near the "ball-joint" of the hips. Squeeze the buttocks together tightly, place the Acu-Ki in the depression formed at the hip, relax the buttocks and begin the stimulation.
<b>GB34</b>	Slightly below the level of the botton on the kneecap, on the outer side of the leg, in the slight depression formed when the knee is completely straight. Forward of a line to the crown of the outer ankle.
<b>LI04</b>	On the back of the hand between the thumb and index finger metacarpal bones. Find the spot midway on the bone that connects the index finger to the wrist. Sometimes this point is easy to find by squeezing two fingers together to form a small mound and marking an imaginary point at the peak of that mound. Then probe inward toward the main body of the hand, right on the bone.
<b>LI11</b>	On the extreme end of the outer crease of the elbow. Bend your arm tightly and place your Acu-Ki on the end of the crease. Keep your massager in place while opening the arm and stimulate the point on your relaxed arm downward toward your forearm.
<b>LI15</b>	At the point of the shoulders. Raise your arm slightly above the level of your shoulder and place your Acu-Ki in the forward most dimple; then keeping your Acu-Ki in the dimple, lower your arm and begin stimulation.
<b>SP06</b>	The width of one hand (3 thumbs) above the crown of the inner ankle, just behind the shin bone on the front of the leg.
<b>ST36</b>	The width of one hand (3 Cun) below the bottom of the kneecap, and the width of one thumb (1 Cun) toward the outside of the leg (direction of the small toe.) Found in the trough or valley where the two most prominent bones of the calf come together.
<b>CBP</b>	Corresponding Body Part in the Ear, Hand and Foot Microsystem
<b>G02</b>	On the centerline of the back, just above the crease of the buttocks.
<b>G04</b>	On the spine atop the third lumbar vertebra, in line with the waist on a "normal-waisted" person.
<b>SI03</b>	On the outer edge of the hand, directly behind the knuckle of the littlest finger.
<b>SI12</b>	1 cun above the shoulder blade about in the center of the top part of the shoulder blade.
<b>UB11</b>	1.5 Cun from the spine midline, 1 cun below a line level with the top of the shoulder blades. Easily stimulated with the Back-eze.
<b>UB25</b>	1.5 cun from the spine midline, on a level between the 4th and 5th lumbar vertebra. Just above an imaginary line drawn between the mid-forarms. Easily stimulated with the Back-eze.
<b>UB47</b>	3 cun from the spine midline, level with the third lumbar vertebra. On a level with the waist line on a 'normal-waisted' person.
<b>UB64</b>	The width of three thumbs away from the crown of the outer ankle, in a line drawn between the crown of the outer ankle and the nail of the smallest toe.
*****	
SCOLIOSIS*:	
Points UB11, UB25, UB47, UB64 are easily found on the back and stimulated with the Back-eze.	